


На выставке IBC-2017 компанией Clear-Com, было показано новое программное обеспечения интуитивного управления в реальном времени DYNAM-EC, новый конфигуратор ECLIPSE-HX V9.1 с поддержкой интеграции сторонних систем и управлением с двунаправленным обменом данных и новые V-SERIES панели на 32 клавиши.

Новое ПО позволяет оптимизировать операции работы с оборудованием сторонних производителей, интеграция SIP/VoIP решений и использование записи макросов для расширения функциональности.

Таким образом возможности IP карты IVC32-HX и в целом системы расширяются.

Eclipse HX 9.1: **IVC-32HX**



The screenshot displays the DYNAM-EC software interface, specifically the Macro Editor. The interface is organized into several sections:

- Top Menu Bar:** Includes options like Connect, Open, Save, Refresh, Undo, Redo, Associations, Settings, and Macro Editor.
- Left Sidebar:** Contains navigation tabs (Conferences, Directs, IFBs, Macros, Other) and a list of macros (Set IFBs to 15db, AIR, Clear All IFB Source, Clear All Source, Clear All IFB, New Macro 5, test macro, IFB1 to KTVK, IFB1 to KPOH, Clear IFB1, New Macro 1).
- Main Workspace:** Features five macro slots (Amanda G, April W, Ashlee D, 3904, 3905) and three canvas slots (Holding, 3-EDIT, 5 TALENT). Each macro slot includes a Dim Level control (-18 dB) and a Source/Active Caller/Destination control. Each canvas slot includes a L/T control and a large empty area for drawing or editing.
- Right Sidebar:** Contains additional controls (AIR, Set IFBs to 15db description, Clear All Source, Clear All IFB).
- Bottom Status Bar:** Shows 'Page: All IFB' and '2'.